



EAN: 4057304007057

static.hansa.com/51362283

single-lever kitchen mixer, DN 15



- Kitchen
- Single-lever, side operated
- Deck mounted
- Chrome
- Swivel spout, Pull-out model, Swivel range limiting option
- Hot/Cold symbols, Single operating lever/handle
- Limitation option for maximum temperature and flow-rate
- ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Soft- and Needle-Spray
- 2 spray functions



Technical data

Flow properties

Flow-rate at 3 bar	9,6 l/min
Pressure loss with flow (0.2 l/s)	3 bar

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +70°C
Working pressure	0.5-10 bar
Connection size	G3/8
Projection	231 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 817
Noise class	I (ISO 3822)

Approvals and Declarations


DVGW	DW-6506DL0547
Declaration of conformity	DoC
EPD	S-P-06396

Sustainability

EPD module A1 (kg CO2 eq.)	16,35
EPD module A2 (kg CO2 eq.)	0,78
EPD module A3 (kg CO2 eq.)	7,19
EPD module A1-A3 (kg CO2 eq.)	24,31
EPD module A4 (kg CO2 eq.)	0,48
EPD module B7 (kg CO2 eq.)	3782,40
EPD module C2 (kg CO2 eq.)	0,04
EPD module C3 (kg CO2 eq.)	0,04
EPD module C4 (kg CO2 eq.)	0,74
EPD module D (kg CO2 eq.)	-13,74



Spare parts



SP51362283

	Name	Code
01	Aerator	59914583
02	Shower head	59914584
03	Hose, L=1500, G1/2-M14x1	59914690
04	Spout Discontinued	59914689
05	Spout overturning stopper, 60°/0° Discontinued	59914281
06	Lever	59914652
07	Symbol plug	59914341
08	Covering cap	59914649
09	Tightening nut, M42x1.5, SW 38	59914128
10	Cartridge	59914665
11	Push button, 3 V	1004296V
12	Fixing set	59913371
13	Supporting plate	59910008
14	Flexible pipe, L=550, G3/8-M10x1 LH Discontinued	59914691