



EAN: 4057304020193

static.hansa.com/5136228380

single-lever kitchen mixer, DN 15



- Kitchen
- Single-lever, side operated
- Deck mounted
- Brushed steel
- Swivel spout, Pull-out model, Swivel range limiting option
- Single operating lever/handle, Hot/Cold symbols
- Limitation option for maximum temperature and flow-rate
- ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Soft- and Needle-Spray
- 2 spray functions



Technical data

Flow properties

Flow-rate at 3 bar	9.6 l/min
Pressure loss with flow (0.2 l/s)	4.7 bar

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +70°C
Working pressure	0.5-10 bar
Connection size	G3/8
Projection	231 mm
Backflow prevention (EN1717)	EB
Material	Brass

Regulations


EN standard	EN 817
Noise class	I (ISO 3822)

Approvals and Declarations


Declaration of conformity	DoC
EPD	S-P-06396

Sustainability

EPD module A1 (kg CO2 eq.)	16,25
EPD module A2 (kg CO2 eq.)	0,77
EPD module A3 (kg CO2 eq.)	7,15
EPD module A1-A3 (kg CO2 eq.)	24,16
EPD module A4 (kg CO2 eq.)	0,48
EPD module B7 (kg CO2 eq.)	3782,40
EPD module C2 (kg CO2 eq.)	0,04
EPD module C3 (kg CO2 eq.)	0,04
EPD module C4 (kg CO2 eq.)	0,73
EPD module D (kg CO2 eq.)	-13,66



Spare parts



SP51362283CLR

	Name	Code
01	Aerator	59914583
02	Hose, L=1500, G1/2-M14x1	59914690
03	Spout overturning stopper, 60°/0° Discontinued	59914281
04	Cartridge	59914665
05	Tightening nut, M42x1.5, SW 38	59914128
06	Supporting plate	59910008
07	Fixing set	59913371