



EAN: 4057304020049



static.hansa.com/5447220733

When great design becomes an attraction of its own, you know it will make a difference in your life. Besides bringing beauty to life, this new classic is also designed to bring any modern bathroom to the next level. Slender design and graceful shapes make this faucet the highlight of any space.

High quality
Sleek design
Anti-limescale rubber aerator for easy cleaning
Designed to compliment any bowl sink
Made in Europe

Perfect fit for any bathroom

- Washbasin
- Single-lever
- Deck mounted
- Matt black
- Fixed spout
- Standard aerator, PCA® - constant flow rate regardless of pressure variations
- Single operating lever/handle, Pin shape, Hot/Cold symbols
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- ø 30 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass
- Without pop-up waste



Technical data

Flow properties

Flow-rate at 3 bar (with flow controller) **6.0 l/min**

Technical properties

Hot water supply **max. +70°C**
 Working pressure **0.5-10 bar**
 Connection size **G3/8**
 Projection **168 mm**
 Backflow prevention (EN1717) **AA**
 Material **Brass**

Regulations


EN standard **EN 817**
 Noise class **I (ISO 3822)**

Approvals and Declarations


Declaration of conformity **DoC**
 EPD **S-P-06391**

Sustainability

EPD module A1 (kg CO2 eq.) **10,00**
 EPD module A2 (kg CO2 eq.) **0,48**
 EPD module A3 (kg CO2 eq.) **0,95**
 EPD module A1-A3 (kg CO2 eq.) **11,42**
 EPD module A4 (kg CO2 eq.) **0,32**
 EPD module B7 (kg CO2 eq.) **1854,00**
 EPD module C2 (kg CO2 eq.) **0,02**
 EPD module C3 (kg CO2 eq.) **0,02**
 EPD module C4 (kg CO2 eq.) **0,09**
 EPD module D (kg CO2 eq.) **-8,12**



Spare parts



SP5437220733

	Name	Code
01	Lever Matt black	1014999V-33
02	Tightening nut, M34x1.5	1012133V
03	Cartridge, 3.0	1014428V
04	Aerator and key, PCA 1.5 gpm Matt black	1012273V-33
05	Fixing set	59913479