

Metropol

Single lever basin mixer for concealed installation wall-mounted with lever handle and spout
22.5 cm

Surfaces: **Matt Black** Article Number: **32526670**



Description

product features

- consists of: single lever basin mixer for concealed installation wall-mounted, waste set
- projection 225 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- non-closing waste set
- material waste set: metal
- connection type: basic set
- connection dimension: DN15
- handle can be positioned on the right or left, depends on the basic set installation


Technology



Product image




Scale drawing



Metropol
Single lever basin mixer for concealed installation wall-mounted with lever handle and spout
22.5 cm
 Surfaces: **Matt Black** Article Number: **32526670**



Flowchart




Metropol
Single lever basin mixer for concealed installation wall-mounted with lever handle and spout
22.5 cm
 Surfaces: **Matt Black** Article Number: **32526670**



Exploded Drawing

Year of production: >07/19



Metropol

Single lever basin mixer for concealed installation wall-mounted with lever handle and spout
22.5 cm

Surfaces: **Matt Black** Article Number: **32526670**



Spare part list

Year of production: >07/19

Pos.	Description	Article Number	Price	PU
1	handle	93163670	-	1
2	screw cover	96338000	-	1
3	sleeve	93053670	-	1
4	escutcheon for handle	93161670	-	1
5	nut	93141000	-	1
6	O-ring 26x2	98147000	-	1
7	cartridge, assy	97685000	-	1
8	locking screw for handle	95140000	-	1
9	seal	98865000	-	1
10	adapter for cartridge	95634000	-	1
11	fixing set	97971000	-	1
12	spout 225 mm	93166670	-	1
13	aerator M24x1 (5 l/min)	92996670	-	1
14	service tool	95661000	-	1
15	O-ring 18x1,5	98231000	-	1
16	escutcheon for spout	93162670	-	1
17	connecting thread G½	95626000	-	1
18	O-ring 13x2	98128000	-	1
19	extension set 25 mm for 13622180	31971000	-	1
a	base body	13622180	-	1
b	waste	50001000	-	1
c	adapter for exchanged connections	93819000	-	1