

# waterwellfit

The Wellfit shower system: HANSA**EMOTION** with three soothing regeneration functions at the touch of a button.



Find out more at [HANSA.de/hansaemotion](https://HANSA.de/hansaemotion)

**MODERN**

OUR PRODUCTS ARE BASED ON AN INTELLIGENT DESIGN. THEY ARE MODERN AND CONTINUE TO APPEAL FOR A LIFETIME. THAT'S WHY WITH HANSA**EMOTION** WE HAVE FOCUSED ON PREMIUM MATERIALS, A CLEAR-CUT DESIGN AND A TIMELESS APPEARANCE. AND DID WE FORGET TO MENTION THAT, IN DOING SO, WE HAVE ALSO CREATED A WORLDWIDE INNOVATION.



# A FRESHER

START.

Everyday life. According to the definition, this refers to the daily and weekly routines of civilised people. But this definition fails to do justice to the emotional reality of family schedules, deadline pressure at work, never-ending meetings, rushed lunch breaks, overflowing mailboxes etc. Everyday life is often anything other than civilised. The bad news first: We can't change this.

But what we can do is help you to regenerate. Quite literally at the touch of a button - it is that simple. The Wellfit shower system HANSA**EMOTION** allows you to steel yourself for the day whilst showering, to relax after a busy day at work or to regenerate following a tough training session. And the good news: This, too, is part of everyday life.



“RECOVER, RELAX, RECHARGE –  
EVERY SINGLE DAY.”

# RELAXED.

OR TOP FIT. OR REGENERATED.  
AT THE TOUCH OF A BUTTON.

The HANSA**EMOTION** Wellfit thermostat is the beating heart of the HANSA**EMOTION** shower system. You can select one of the three feel-good programmes by simply pressing the button. The chosen hot and cold water treatment starts after a few seconds. The intervals of the hot/cold phases vary according to the programme. All this turns showering into a feel-good experience: Before work for a fresh and active start to the day, after exercising to regenerate and in the evening to wind down and forget the stresses of the day.

The easy-clean safety glass shelf available in either "Space Grey" or "Clear White" dovetails perfectly into the bathroom interior thanks to its appealing design. What's more, it is an ideal place to store shampoo etc.

Thermo Cool: Since the water line and housing are separate, the surface of the thermostat does not heat up.



High-quality and corrosion-resistant DZR brass in the interior guarantees longevity. The intuitive operating elements on the outside ensure maximum comfort.

The setting elements on the front are simple to operate, the Wellfit button reacts to the tip of a finger and the 38°C hot water stop guarantees that things don't get too hot.



IC O 2  
N I C 0  
A W A 1  
R D S 7

product  
winner

GOOD  
DESIGN

**SAFE**

MAKING OUR CUSTOMERS' LIVES BETTER NATURALLY ALSO MEANS PROTECTING THEIR HEALTH. SO IT GOES WITHOUT SAYING THAT HANSAWELLFIT MEETS ALL CURRENT SAFETY REGULATIONS AND, FOR EXAMPLE, PROTECTS AGAINST EXCESSIVELY HOT WATER WITH ITS INTEGRATED SAFETY DEVICES. A FEATURE WHICH IS PARTICULARLY BENEFICIAL TO OLDER PEOPLE AND CHILDREN.

The thermostat is also available as a version for baths.  
All the versions are available without the Wellfit functions.



**QUALITY CONSCIOUS**

THE HANSA QUALITY SPEAKS FOR ITSELF. AND TO MAKE SURE THIS STAYS THIS WAY, THE WORKMANSHIP BEHIND OUR NEW WELLFIT SYSTEM IS SECOND TO NONE AND THE TECHNOLOGY COMPLIES WITH THE VERY LATEST STANDARDS. ALL THE PARTS FIT PERFECTLY TOGETHER AND ARE SUBJECT TO STRICT QUALITY CONTROLS WHICH GUARANTEE LONGEVITY AND WATER PURITY.



The Wellfit thermostat and various programmes can be easily controlled using an app.

**A wellness update for older bathrooms**

Do you want to give your shower a "wellfit" overhaul? Not a problem: HANSAEMOTION features a modular design. As such, this offers flexibility in terms of components and assembly to accommodate your requirements and the available space. Simply ask your installer.


# THREE WELL-BEING PROGRAMMES.

## RECOVER

After pushing your body to its limits, this programme with its intensive cold water intervals helps you to regenerate and feel fit and vital again.

It prevents aching muscles and can even boost the cardiovascular system in the long term.


RECOVER-PROGRAMM:



### RELIABLE

THE NAME HANSA IS SYNONYMOUS WITH OUTSTANDING PRODUCTS AND THE OUTSTANDING PEOPLE WHO CREATE, SELL AND INSTALL THEM. AS SUCH, WE ARE MORE THAN HAPPY TO GIVE A 2-YEAR GUARANTEE FOR THE FUNCTIONALITY OF HANSAEMOTION AND A 10-YEAR GUARANTEE FOR THE AVAILABILITY OF SPARE PARTS.





# RELAX

The name says it all – this programme is all about well-being.

The gentle temperature changes with lots of hot water phases help you to relax, wind down and let go. Just switch on to switch off.

RELAX-PROGRAMM:



## COMFORT

OUR AIM IS NOT TO MAKE OUR CUSTOMERS' LIVES EVEN MORE COMPLICATED, BUT RATHER TO MAKE THEM SIMPLER AND EASIER. TAKE FOR EXAMPLE THE SIMPLE AND INTUITIVE OPERATION OF OUR WELLFIT SHOWER SYSTEM: IT'S ALL AT THE TOUCH OF A BUTTON.

# RELOAD

The day starts with a shower to get you going. The well-balanced hot and cold RELOAD programme stimulates blood circulation, wakes you up and gets you moving – the perfect start to an active day.

RELOAD-PROGRAMM:



IN YOUR  
**HAND.**  
OR ON THE  
**WALL -**  
THE CHOICE IS YOURS.




The **HANSAACTIVEJET** showers make the perfect addition to the **HANSAEMOTION** thermostat. The selected Wellfit programme is realised by the hand shower on the thermostat. The three adjustable streams on the shower guarantee a sense of maximum well-being.

The shower heads of the **HANSAACTIVEJET** showers are available in both a completely round format or with rounded corners to suit all modern bathroom designs. The matching **HANSAACTIVEJET** shower rail set with easy height adjustment and optional soap dish features a wall mount which can be positioned flexibly, this means existing drill holes can be used when renovating.







THE PULSE FUNCTION IS ACTIVATED USING THIS BUTTON. THE TWO OTHER STREAM TYPES CAN BE SIMPLY SELECTED USING THE SWITCH ON THE SHOWER HANDLE.

#### **HANSA by HANSA**

QUALITY IS OUR MOST PRECIOUS ASSET. THAT IS WHY WITH HANSAEMOTION AND HANSAACTIVEJET THE COMPLETE PRODUCTION PROCESS - FROM THE DESIGN PHASE THROUGH TO FINISHING - IS PERFORMED EXCLUSIVELY BY US. THIS ENABLES US TO ANALYSE AND OPTIMISE EVERY SINGLE PRODUCTION STEP IN ORDER TO GUARANTEE A PERFECT FINAL RESULT. A RESULT WHICH IS BOTH VISIBLE AND TANGIBLE. EVERY SINGLE DAY. OVER MANY YEARS.



#### **Pulse Spray**

The pulsating massage shower not only feels great, but by specifically focusing on certain areas of the body, it also helps to relieve tension.



#### **Sensitive Spray**

The Sensitive setting treats the body to a soft and relaxing shower experience.




#### **Intense Spray**

The setting for daily use, ideal for washing longer hair and for starting the RELOAD programme.

# HANSAEMOTION

	<p><b>HANSAEMOTION</b>  <b>thermostatic shower faucet, DN 15 (G 1/2)</b>                      for wall-mounting                      with protection against scalding</p> <p>P-IX* (PA-IX submitted)                      flow rate: 13.8 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• THERMO COOL - function</li> <li>• with spacious shelf, safety glass</li> <li>• safety stop at 38 °C</li> <li>• ball-eccentric connection technology, hidden</li> </ul>	<p><b>Item-No.</b>                      anthracite/chrome  <b>5863 0171 84</b>                      white/chrome  <b>5863 0171 82</b></p>
	<p><b>HANSAEMOTION Wellfit</b>  <b>thermostatic shower faucet, DN 15 (G 1/2)</b>                      for wall-mounting                      with Wellfit body treatment                      with protection against scalding</p> <p>P-IX* (PA-IX submitted):</p> <ul style="list-style-type: none"> <li>• THERMO COOL - function</li> <li>• with spacious shelf, safety glass</li> <li>• safety stop at 38 °C</li> <li>• ball-eccentric connection technology, hidden</li> <li>• Wellfit hot &amp; cold body treatment including 3 programmes RECOVER, RELAX and RELOAD, preprogrammed</li> </ul>	<p><b>Item-No.</b>                      anthracite/chrome  <b>5863 0172 84</b>                      white/chrome  <b>5863 0172 82</b></p>
	<p><b>HANSAEMOTION</b>  <b>thermostatic bath faucet, DN 15 (G 1/2)</b>                      for wall-mounting                      with protection against scalding</p> <p>P-IX* (PA-IX submitted):</p> <ul style="list-style-type: none"> <li>• THERMO COOL - function</li> <li>• with spacious shelf, safety glass</li> <li>• volume control handle with ceramic diverter shower/bath</li> <li>• safety stop at 38 °C</li> <li>• ball-eccentric connection technology, hidden</li> </ul>	<p><b>Item-No.</b>                      anthracite/chrome  <b>5864 2171 84</b>                      white/chrome  <b>5864 2171 82</b></p>
	<p><b>HANSAEMOTION Wellfit</b>  <b>thermostatic bath faucet, DN 15 (G 1/2)</b>                      for wall-mounting                      with Wellfit body treatment                      with protection against scalding</p> <p>P-IX* (PA-IX submitted):</p> <ul style="list-style-type: none"> <li>• THERMO COOL - function</li> <li>• with spacious shelf, safety glass</li> <li>• volume control handle with ceramic diverter shower/bath</li> <li>• safety stop at 38 °C</li> <li>• ball-eccentric connection technology, hidden</li> <li>• Wellfit hot &amp; cold body treatment including 3 programmes RECOVER, RELAX and RELOAD, preprogrammed</li> </ul>	<p><b>Item-No.</b>                      anthracite/chrome  <b>5864 2172 84</b>                      white/chrome  <b>5864 2172 82</b></p>
	<p><b>HANSAEMOTION Wellfit shower system</b>  <b>thermostatic shower faucet, DN 15 (G 1/2)</b>                      for wall-mounting                      with Wellfit body treatment                      with protection against scalding                      with shower system directly connected</p> <p>P-IX* (PA-IX submitted):</p> <ul style="list-style-type: none"> <li>• THERMO COOL - function</li> <li>• overhead shower rectangular, 360 x 220 mm</li> <li>• with spacious shelf, safety glass</li> <li>• safety stop at 38 °C</li> <li>• HANSAACTIVEJET Style hand shower – 3-spray</li> <li>• shower hose, 1750 mm</li> <li>• ball-eccentric connection technology, hidden</li> </ul>	<p><b>Item-No.</b>                      anthracite/chrome  <b>5865 0172 84</b>                      white/chrome  <b>5865 0172 82</b></p>



**HANSAEMOTION shower system**  
**thermostatic shower faucet, DN 15 (G 1/2)**

for wall-mounting  
 with protection against scalding  
 with shower system directly connected

P-IX\* (PA-IX submitted):

- THERMO COOL - function
- overhead shower rectangular, 360 x 220 mm
- with spacious shelf, safety glass
- safety stop at 38 °C
- HANSAACTIVEJET Style hand shower  
 – 3-spray
- shower hose, 1750 mm
- ball-eccentric connection technology, hidden

**Item-No.**











anthracite/chrome

**5865 0171 84**
















white/chrome

**5865 0171 82**

# HANSAACTIVEJET

	 <p><b>HANSAACTIVEJET hand shower, 1-spray</b></p> <p>P-IX (submitted) flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• shower head size 120 mm</li> <li>• limescale protection technology</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8431 0100</b></p>
	 <p><b>HANSAACTIVEJET hand shower, 3-spray</b></p> <p>P-IX* (PA-IX submitted) flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• shower head size 120 mm</li> <li>• spray types: <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• limescale protection technology</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8433 0100</b></p>
	 <p><b>HANSAACTIVEJET Style hand shower, 1-spray</b></p> <p>P-IX (submitted) flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• shower head size 110 mm x 120 mm</li> <li>• limescale protection technology</li> </ul>	<p><b>Item-No.</b> white/chrome <b>8431 0200</b></p>
	 <p><b>HANSAACTIVEJET Style hand shower, 3-spray</b></p> <p>P-IX* (PA-IX submitted) flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• shower head size 110 mm x 120 mm</li> <li>• spray types: <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• limescale protection technology</li> </ul>	<p><b>Item-No.</b> white/chrome <b>8433 0200</b></p>
	 <p><b>HANSAACTIVEJET-Set for bath faucets</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• hand shower, 1-spray</li> <li>• shower head size 120 mm</li> <li>• shower hose, 1500 mm</li> <li>• wall-mounted shower bracket</li> <li>• limescale protection technology</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8438 0113</b></p>

# HANSAACTIVEJET

		 <p><b>HANSAACTIVEJET-Set for bath faucets</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• hand shower, 3-spray               <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• shower head size 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1500 mm</li> <li>• wall-mounted shower bracket</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8438 0133</b></p>
		 <p><b>HANSAACTIVEJET Style Set for bath faucets</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• hand shower, 1-spray</li> <li>• shower head size 110 mm x 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1500 mm</li> <li>• wall-mounted shower bracket</li> </ul>	<p><b>Item-No.</b> white/chrome <b>8438 0213</b></p>
		 <p><b>HANSAACTIVEJET Style Set for bath faucets</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• hand shower, 3-spray               <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• shower head size 110 mm x 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1500 mm</li> <li>• wall-mounted shower bracket</li> </ul>	<p><b>Item-No.</b> white/chrome <b>8438 0233</b></p>
		 <p><b>HANSAACTIVEJET wall bar set 970 mm</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• wall bar</li> <li>• max. 970 mm, Ø 22 mm</li> <li>• HANSAACTIVEJET</li> <li>• hand shower, 1-spray</li> <li>• shower head size 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1750 mm</li> <li>• soap dish</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8437 0110</b></p>
		 <p><b>HANSAACTIVEJET wall bar set 970 mm</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• wall bar</li> <li>• max. 970 mm, Ø 22 mm</li> <li>• HANSAACTIVEJET</li> <li>• hand shower, 3-spray               <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• shower head size 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1750 mm</li> <li>• soap dish</li> </ul>	<p><b>Item-No.</b> light grey/chrome <b>8437 0130</b></p>

# HANSAACTIVEJET

	<p><b>HANSAACTIVEJET Style</b> <b>wall bar set 970 mm</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• wall bar</li> <li>• max. 970 mm, Ø 22 mm</li> <li>• HANSAACTIVEJET Style</li> <li>• hand shower, 1-spray</li> <li>• shower head size 110 mm x 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1750 mm</li> <li>• soap dish</li> </ul>	<p><b>Item-No.</b> white/chrome <b>8437 0210</b></p>
	<p><b>HANSAACTIVEJET Style</b> <b>wall bar set 970 mm</b></p> <p>flow rate: 15 l/min, at 3 bar hydraulic pressure</p> <ul style="list-style-type: none"> <li>• wall bar</li> <li>• max. 970 mm, Ø 22 mm</li> <li>• HANSAACTIVEJET Style</li> <li>• hand shower, 3-spray                             <ul style="list-style-type: none"> <li>– sensitive</li> <li>– intense</li> <li>– pulse</li> </ul> </li> <li>• shower head size 110 mm x 120 mm</li> <li>• limescale protection technology</li> <li>• shower hose, 1750 mm</li> <li>• soap dish</li> </ul>	<p><b>Item-No.</b> chrome <b>8437 0230</b></p>
	<p><b>HANSAACTIVEJET</b> <b>soap dish</b></p> <ul style="list-style-type: none"> <li>• semi-transparent</li> </ul>	<p><b>Item-No.</b> <b>0480 0100</b></p>
	<p><b>HANSAACTIVEJET</b> <b>wall bar</b> <b>max. length 740 mm</b> without hand shower</p> <ul style="list-style-type: none"> <li>• length can be shortened</li> <li>• slide: swivelling</li> <li>• height adjustment lockable</li> <li>• shower bracket: adjustable</li> <li>• fastening set</li> <li>• shower hose, 1500 mm</li> </ul>	<p><b>Item-No.</b> chrome <b>0478 0200</b></p>
	<p><b>HANSAACTIVEJET</b> <b>wall bar</b> <b>maximum length 970 mm</b> without hand shower</p> <ul style="list-style-type: none"> <li>• length can be shortened</li> <li>• slide: swivelling</li> <li>• height adjustment lockable</li> <li>• shower bracket: adjustable</li> <li>• fastening set</li> <li>• shower hose, 1500 mm</li> </ul>	<p><b>Item-No.</b> chrome <b>0479 0200</b></p>



## HANSA HEAD OFFICE

HANSA Armaturen GmbH

Sigmaringer Str. 107

70567 Stuttgart

Telefon: +49 711 1614-0

Fax: +49 711 1614-368

info@hansa.com

For technical queries:

technik@HANSA.com



Apple and the Apple logo are marks of Apple Inc. registered in the USA and other countries. App Store is a service mark of Apple Inc.



Google Play and the Google Play logo are marks of Google Inc.



a member of orasgroup